Contents of volume 328

No. 1 issued on November 5, 1984

H. Traurig, R. E. Papka, A. Saria, F. Lembeck: Substance P immunoreactivity in the rat mammary nipple and the effects of capsaicin treatment on lactation **1**

A. Saria, X. Hua, G. Skofitsch, J. M. Lundberg: Inhibition of compound 48/80 – induced vascular protein leakage by pretreatment with capsaicin and a substance P antagonist **9**

K. A. Alkadhi, T. R. Brown, M. H. Sabouni: Inhibitory effect of adenosine on transmission in sympathetic ganglia **16**

H. Ensinger, L. Hedler, C. Schurr, K. Starke: Ethylketocyclazocine decreases noradrenaline release and blood pressure in the rabbit at a peripheral opioid receptor **20**

A. Neil: Affinities of some common opioid analgesics towards four binding sites in mouse brain **24**

A. de Jonge, D. Davidesko, M.-J. Mathy, M. J. M. C. Thoolen, B. Wilffert, P. van Brummelen, P. B. M. W. M. Timmermans, P. A. van Zwieten: Effect of pithing on the postjunctional sympatho-inhibitory action of captopril in cats **30**

A. Segonzac, T. Tateishi, S. Z. Langer: Saturable uptake of [^{3}H]-tryptamine in rabbit platelets is inhibited by 5-hydroxytryptamine uptake blockers **33**

M. A. Enero: Influence of neuronal uptake on the presynaptic α-adrenergic modulation of noradrenaline release **38**

D. del Baldo, I. C. W. Peusner, F. J. E. Stefano: Ca^{2+} dependence of the release of noradrenaline during nerve degeneration in the parotid gland **41**

J. P. Hieble, D. F. Woodward: Different characteristics of postjunctional alpha-adrenoceptors on arterial and venous smooth muscle **44**

C. Hertel, H. Affolter, M. Portenier, M. Staehelin: Desensitized beta-adrenoceptors of C6-glioma cells have distinct binding properties **51**

L. J. Bryan, S. R. O'Donnell, U. Trendelenburg: Kinetics of the O-methylating system for isoprenaline in the trachea and aorta of rabbit **56**

G. Gianutsos, P. D. Suzdak: Evidence for down-regulation of GABA receptors following long-term gamma-butyrolactone **62**

M. Spedding, C. Berg: Interactions between a "calcium channel agonist", Bay K 8644, and calcium antagonists differentiate calcium antagonist subgroups in K^+-depolarized smooth muscle **69**

B. Wilffert, P. N. M. van Heiningen, M. J. Mathy, A. de Jonge, M. J. M. C. Thoolen, P. B. M. W. M. Timmermans, P. A. van Zwieten: Interactions between the putative calcium entry promotor Bay K 8644 and pressor responses produced by α_1- and α_2-adrenoceptor agonists in the pithed normotensive rat **76**

W. Daniel, J. Friebertshäuser, C. Steffen: The effect of imipramine and desipramine on mixed function oxidase in rats **83**

Short communications

L. Antkiewicz-Michaluk, A. Rokosz-Pelc, J. Vetulani: Effect of electroconvulsive treatment on cerebral opioid receptors in the rat: Changes in δ but not μ receptors **87**

A. Mügge, C. Reupcke, W. Schmitz, H. Scholz: Effects of (−)-Phenylephrine on force of contraction in the presence of cocaine and hydrocortisone in cat papillary muscle **90**

No. 2 issued on December 5, 1984

K. E. O. Senius: Emil Starkenstein 1884–1942. The life and work of a German pharmacologist **95**

C. Neef, R. Oosting, D. K. F. Meijer: Structure-pharmacokinetics relationship of quaternary ammonium compounds. Elimination and distribution characteristics **103**

C. Neef, D. K. F. Meijer: Structure-pharmacokinetics relationship of quaternary ammonium compounds. Correlation of physicochemical and pharmacokinetic parameters **111**

L. Beani, C. Bianchi, A. Siniscalchi, L. Sivilotti, S. Tanganelli, E. Veratti: Different approaches to study acetylcholine release: endogenous ACh versus tritium efflux **119**

M. Göthert, F. Hentrich: Role of cAMP for regulation of impulse-evoked noradrenaline release from the rabbit pulmonary artery and its possible relationship to presynaptic ACTH receptors **127**

F. J. E. Stefano, U. Trendelenburg: Saturation of monoamine oxidase by intraneuronal noradrenaline accumulation **135**

M. Y. Kim, T. D. Sokoloski, P. N. Patil: Kinetics of the efflux of ^{3}H-norepinephrine from rabbit irides **142**

M. L. Fiszman, F. J. E. Stefano: Amphetamine-clonidine interaction on neurotransmission in the vas deferens of the rat **148**

K. G. Charlton, T. D. Johnson, D. E. Clarke: Vasoconstrictor and norepinephrine potentiating action of 5-hydroxykynuramine in the isolated perfused rat kidney: involvement of serotonin receptors and alpha$_1$-adrenoceptors **154**

I. Lues, H.-J. Schümann: Effect of removing the endothelial cells on the reactivity of rat aortic segments to different α-adrenoceptor agonists **160**

M. Grohmann, U. Trendelenburg: The substrate specificity of uptake$_2$ in the rat heart **164**

B. Costall, R. J. Naylor, C. C. W. Tan: The mechanism of action of dopamine to inhibit field stimulation-induced contractions of guinea pig stomach strips **174**

J. C. Koons, J. P. Long, J. G. Cannon: In vivo and in vitro dopaminergic effects of three ergoline fragments **180**

R. Weitzell, P. Illes, K. Starke: Inhibition via opioid μ- and δ-receptors of vagal transmission in rabbit isolated heart **186**

D. Maysinger, I. Vermes, F. Tilders, B. R. Seizinger, C. Gramsch, V. Höllt, A. Herz: Differential effects of various opioid peptides on vasopressin and oxytocin release from the rat pituitary in vitro **191**

X. Hua, J. M. Lundberg, E. Theodorsson-Norheim, E. Brodin: Comparison of cardiovascular and bronchoconstrictor effects of substance P, substance K and other tachykinins **196**

E. T. Whalley, C. A. M. Sampaio, H. Fritz, G. Edwards: The effect of kinins on paw oedema and uterus in rats **202**

W. Meyer, M. Nose, W. Schmitz, H. Scholz: Adenosine and adenosine analogs inhibit phosphodiesterase activity in the heart **207**

C. Lillie, W. Kobinger: Decrease in bradycardic effect of AQ-A 39 and alinidine in guinea-pig sinoatrial node depolarized by high external K^+-concentration **210**

Ch. Luderschmidt, W. Eiermann, J. Jawny, F. Bidlingmaier, J. Ring: 17α-Propylmesterolone (SH 434): an antiandrogenic sebosuppressive substance not influencing circulating testosterone concentrations. Experimental studies in Syrian hamsters **214**

Short communications

M. Henseling: Stereoselectivity of extraneuronal uptake of catecholamines in rabbit aorta **219**

M. Bigaud, P. Schoeffter, J. C. Stoclet, R. C. Miller: Dissociation between endothelium-mediated increases in tissue cGMP levels and modulation of aortic contractile responses **221**

No. 3 issued on January 10, 1985

S. E. File, S. Pellow: The anxiogenic action of RO 5-4864 in the social interaction test: effect of chlordiazepoxide, RO 15-1788 and CGS 8216 **225**

G. Groß, M. Göthert, U. Glapa, G. Engel, H.-J. Schümann: Lesioning of serotoninergic and noradrenergic nerve fibres of the rat brain does not decrease binding of ^{3}H-clonidine and ^{3}H-rauwolscine to cortical membranes **229**

N. Grundström, R. G. G. Andersson: In vivo demonstration of alpha-2-adrenoceptor-mediated inhibition of the excitatory non-cholinergic neurotransmission in guinea pig airways **236**

P. Illes, L. Dörge: Mechanism of α_2-adrenergic inhibition of neuroeffector transmission in the mouse vas deferens **241**

F. Brandão, R. Davidson, J. G. Monteiro: A kinetic study of the release of noradrenaline by electrical stimulation: influence of presynaptic α-adrenoceptors **248**

K. Ishii, S. Yamamoto, R. Kato: Increase in insulin response to glucose in the rat chronically treated with clonidine **253**

J. A. Hey, T. Gherezghiher, M. C. Koss: Studies on the mechanism of clonidine-induced mydriasis in the rat **258**

K. Honda, T. Takenaka, A. Miyata-Osawa, M. Terai, K. Shiono: Studies on YM-12617: A selective and potent antagonist of postsynaptic α_1-adrenoceptors **264**

A. Wada, F. Izumi, N. Yanagihara, H. Kobayashi: Modulation by ouabain and diphenylhydantoin of veratridine-induced ^{22}Na influx and its relation to ^{45}Ca influx and the secretion of catecholamines in cultured bovine adrenal medullary cells **273**

V. Homburger, H. Gozlan, R. Bouhelal, M. Lucas, J. Bockaert: Irreversible blockade of β-adrenergic receptors with a bromoacetyl derivative of pindolol . **279**

W. Bernauer: The effect of β-adrenoceptor blocking agents on evolving myocardial necrosis in coronary ligated rats with and without reperfusion **288**

A. J. Kaumann, M. Frenken: A paradox: the 5-HT_2-receptor antagonist ketanserin restores the 5-HT-induced contraction depressed by methysergide in large coronary arteries of calf. Allosteric regulation of 5-HT_2-receptors **295**

M. Frenken, A. J. Kaumann: Ketanserin causes surmountable antagonism of 5-hydroxytryptamine-induced contractions of large coronary arteries of dog **301**

H. Kilbinger, M. Nafziger: Two types of neuronal muscarine receptors modulating acetylcholine release from guinea-pig myenteric plexus **304**

M. J. Lohse, D. Ukena, U. Schwabe: Demonstration of R_i-type adenosine receptors in bovine myocardium by radioligand binding **310**

A. Reymann, W. Braun, M. Bergheim, K. Hißnauer: Forskolin-induced elevation of rat jejunal cyclic AMP levels and stimulation of active glucose transport in vitro **317**

J. Donnerer, D. K. Meyer, P. Holzer, F. Lembeck: Release of cholecystokinin-immunoreactivity into the vascular bed of the guinea-pig small intestine during peristalsis **324**

C. Dahlöf, P. Dahlöf, K. Tatemoto, J. M. Lundberg: Neuropeptide Y (NPY) reduces field stimulation-evoked release of noradrenaline and enhances force of contraction in the rat portal vein **327**

J. M. Lundberg, A. Saria, A. F. Cereceda, T. Hökfelt, L. Terenius, M. Goldstein: Differential effects of reserpine and 6-hydroxydopamine on neuropeptide Y (NPY) and noradrenaline in peripheral neurons **331**

A. Assandri, A. Perazzi, P. Ferrari, E. Martinelli, A. Ripamonti, G. Tarzia, G. Tuan: Metabolic fate of zetidoline, a new neuroleptic agent, in man **341**

Short communications

T. Kubo, H. Amano, M. Katsumata, Y. Misu: Involvement of central catecholamines in mediation of pressor responses of the rat to carotid occlusion **348**

U. Panten, S. Zielmann, M.-T. Schrader, S. Lenzen: The dihydropyridine derivative, Bay K 8644, enhances insulin secretion by isolated pancreatic islets **351**

G. Engel, R. Maurer, K. Perrot, B. P. Richardson: β-Adrenoceptor subtypes in sections of rat and guinea-pig kidney **354**

D. Bowman, T. W. Lategan, D. B. Hope: Forskolin inhibits potassium-evoked release of vasopressin from rat neurohypophyses **358**

Errata

X. Hua, J. M. Lundberg, E. Theodorsson-Norheim, E. Brodin: Comparison of cardiovascular and bronchoconstrictor effects of substance P, substance K and other tachykinins. Naunyn-Schmiedeberg's Arch Pharmacol (1984) 328:196–201 **361**

O.-E. Brodde, A. Daul, N. O'Hara: β-Adrenoceptor changes in human lymphocytes, induced by dynamic exercise. Naunyn-Schmiedeberg's Arch Pharmacol 325:190–192 (1984) **362**

No. 4 issued on February 22, 1985

L. R. Shian, M. T. Lin: Effects of cholecystokinin octapeptide on thermoregulatory responses and hypothalamic neuronal activity in the rat **363**

T. Kubo, H. Amano, Y. Misu: Caudal ventrolateral medulla. A region responsible for the mediation of vasopressin-induced pressor responses **368**

G. T. Bolger, B. A. Weissman, P. Skolnick: The behavioral effects of the calcium agonist BAY K 8644 in the mouse: Antagonism by the calcium antagonist nifedipine **373**

G. Thomas, R. Groß, G. Pfitzer, J. C. Rüegg: The positive inotropic dihydropyridine BAY K 8644 does not affect calium sensitivity or calcium release of skinned cardiac fibres **378**

Y. Wada, K. Satoh, N. Taira: Cardiovascular profile of Bay k 8644, a presumed calcium channel activator, in the dog **382**

P. E. Hicks, C. Tierney, S. Z. Langer: Preferential antagonism by diltiazem of α_2-adrenoceptor mediated vasoconstrictor responses in perfused tail arteries of spontaneous hypertensive rats **388**

M. M. Caramona, W. Osswald: Effects of clorgyline and (−)deprenyl on the deamination of normetanephrine and noradrenaline in strips and homogenates of the canine saphenous vein **396**

M. M. Caramona, D. Araújo, F. Brandão: Influence of MAO A and MAO B on the inactivation of noradrenaline in the saphenous vein of the dog **401**

H. Bönisch, L. J. Bryan, M. Henseling, S. R. O'Donnell, P. Stockmann, U. Trendelenburg: The effect of various ions on uptake$_2$ of catecholamines **407**

O.-E. Brodde, A. Daul, N. Stuka, N. O'Hara, U. Borchard: Effects of β-adrenoceptor antagonist administration on β_2-adrenoceptor density in human lymphocytes. The role of the "intrinsic sympathomimetic activity" **417**

J. Azami, J. R. Fozard, A. A. Round, D. I. Wallis: The depolarizing action of 5-hydroxytryptamine on rabbit vagal primary afferent and sympathetic neurones and its selective blockade by MDL 72222 **423**

L. K. Choo, F. Mitchelson, Y. M. Vong: The interaction of McN-A-343 with pirenzepine and other selective muscarine receptor antagonists at a prejunctional muscarine receptor **430**

I. Brunsson, A. Sjöqvist, M. Jodal, O. Lundgren: Mechanisms underlying the intestinal fluid secretion evoked by nociceptive serosal stimulation of the rat **439**

M. Costa, J. B. Furness, C. O. Pullin, J. Bornstein: Substance P enteric neurons mediate non-colinergic transmission to the circular muscle of the guinea-pig intestine **446**

D. R. Gehlert, H. I. Yamamura, J. K. Wamsley: Autoradiographic localization of "peripheral-type" benzodiazepine binding sites in the rat brain, heart and kidney **454**

Short communications

H. Baumgartner, C. J. Wiedermann, H. Hörtnagl, V. Mühlberger: Plasma catecholamines in arterial and capillary blood **461**

M. Spedding: Competitive interactions between Bay K 8644 and nifedipine in K^+ depolarized smooth muscle: a passive role for Ca^{2+}? **464**

W. U. Dompert, T. Glaser, J. Traber: ^{3}H-TVX Q 7821: identification of 5-HT$_1$ binding sites as target for a novel putative anxiolytic **467**

Indexed in Current Contents